EL

	Application No.	Applicant(s)
Notice of Allowability	10/678,527 Examiner	WOOD ET AL. Art Unit
	Mary Zettl	2875
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to the amenment dated August 24, 2006.		
2. X The allowed claim(s) is/are 1, 3-17, and 19-29.		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a)  All b)  Some* c)  None of the:  1.  Certified copies of the priority documents have been received.  2.  Certified copies of the priority documents have been received in Application No  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  5.  CORRECTED DRAWINGS (as "replacement sheets") must be submitted.  (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached  1)  hereto or 2)  Depen No./Mail Date  (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  6.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. Interview Summary Paper No./Mail Da 7. Examiner's Amenda	te

Application/Control Number: 10/678,527

Art Unit: 2875

## **DETAILED ACTION**

## Allowable Subject Matter

1. Claims 1, 3-17, and 19-29 are allowed.

The allowable subject manner of claims 1 and 11 has been addressed in the previous office action.

Regarding claim 16, prior art fails to teach or make obvious a sensing means comprising a means for supporting on one level a means for sensing infrared light and a means for electronically processing signals, wherein the means for electronically processing signals has an area that is significantly smaller than the area of the means for sensing infrared light.

Regarding claim 27, prior art fails to teach or make obvious a sensing means comprising a means for supporting on one surface a means for sensing infrared light and a means for electronically processing signals, wherein the means for electronically processing signals has an area that is significantly smaller than the area of the means for sensing infrared light.

Regarding claim 28, prior art fails to teach or make obvious means for supporting a means for sensing infrared light and a means for electronically processing signals horizontally proximate to each other; wherein the means for electronically processing signals has an area that is significantly smaller than the are of the means for sensing infrared light.

Regarding claim 29, prior art fails to teach or make obvious means for supporting in a plane a means for sensing infrared light and a means for electronically processing

Application/Control Number: 10/678,527

Art Unit: 2875

signals; wherein the means for electronically processing signals has an area that is significantly smaller than the are of the means for sensing infrared light.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mary Zettl whose telephone number is (571) 272-6007. The examiner can normally be reached on M-F 8am-4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Renee Luebke can be reached on (571) 272-2009. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

MZ

RENEE WEBKE PRIMARY EXAMINER